



## SAFETY DATA SHEET

PRO-SPRAY H20 BASECOAT BRIGHT MEDIUM ALUMINIUM

Page 1

Issued: 13/07/2010

Revision No: 1

### 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

**Product name:** PRO-SPRAY H20 BASECOAT BRIGHT MEDIUM ALUMINIUM

**Product code:** AMT-810

**PR Number:** 2083103

**Use of substance / mixture:** Tinter

**Company name:** Pro-Spray Automotive Finishes Limited

Unit H

Normandy Lane, Stratton Business Park

Biggleswade

Bedfordshire

SG18 8QB

United Kingdom

Tel: +44 (0) 1767 314320

Fax: +44 (0) 1767 319044

Emergency tel: +44 (0) 1767 314320 (office hours only)

Email: colour@pro-spray.co.uk

### 2. HAZARDS IDENTIFICATION

**Workplace exposure limit:** This product does not have a workplace exposure limit.

**PBT:** This substance is not identified as a PBT substance.

**Directive 1999/45/EC:** This does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** 2-BUTOXYETHANOL 1-10%

EINECS: 203-905-0 CAS: 111-76-2

[Xn] R20/21/22; [Xi] R36/38

CLP Class: Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315

- ALUMINIUM POWDER (PYROPHORIC) (\*WEL) 1-10%

EINECS: 231-072-3 CAS: 7429-90-5

[-] R15; [-] R17

CLP Class: Water-react. 2: H261; Pyr. Sol. 1: H250

- PROPAN-2-OL 1-10%

EINECS: 200-661-7 CAS: 67-63-0

[F] R11; [Xi] R36; [-] R67

CLP Class: Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336

**4. FIRST AID MEASURES**

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water.

**Inhalation:** Consult a doctor.

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**Exposure hazards:** In combustion emits toxic fumes.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**7. HANDLING AND STORAGE**

**Handling requirements:** Ensure there is sufficient ventilation of the area. Smoking is forbidden.

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Must only be kept in original packaging.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Hazardous ingredients:** 2-BUTOXYETHANOL

UK - 8 hour TWA: 25 ppm

UK - 15 min. STEL: 50 ppm

- ALUMINIUM POWDER (PYROPHORIC)

UK - 8 hour TWA: 6 mg/m<sup>3</sup>

- PROPAN-2-OL

UK - 8 hour TWA: 999 mg/m<sup>3</sup>

UK - 15 min. STEL: 1250 mg/m<sup>3</sup>

**Engineering measures:** Ensure there is sufficient ventilation of the area. Ensure all engineering measures mentioned in section 7 of SDS are in place.

**Respiratory protection:** Compressed airline breathing apparatus (EN139). Respiratory protective device with particle filter.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses with side-shields. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**State:** Liquid

**Odour:** Characteristic odour

**Solubility in water:** Miscible

**Flash point°C:** 62

**VOC g/l:** 372

## 10. STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

## 11. TOXICOLOGICAL INFORMATION

### 11. TOXICOLOGICAL INFORMATION (SYMPTOMS)

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

## 12. ECOLOGICAL INFORMATION

**Mobility:** Readily absorbed into soil.

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**PBT identification:** This substance is not identified as a PBT substance.

## 13. DISPOSAL CONSIDERATIONS

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## 14. TRANSPORT INFORMATION

### ADR / RID

**UN no:** Not Classified.

### IMDG / IMO

**UN no:** Not Classified.

**IATA / ICAO****UN no:** Not Classified.**15. REGULATORY INFORMATION (CHIP)****Hazard symbols:** No significant hazard.**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.**15. REGULATORY INFORMATION (CLP)****16. OTHER INFORMATION****Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

**Risk phrases used in s.3:** R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

R36/38: Irritating to eyes and skin.

R15: Contact with water liberates extremely flammable gases.

R17: Spontaneously flammable in air.

R11: Highly flammable.

R36: Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.